

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Viginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/687,699	10/12/2000	Shing Mark Lin	ADAPP171	7677
75	590 08/05/2003			
Joe A Brock II Esq Martine Penilla & Kim LLP Suite 170			EXAMINER	
			HUYNH, KIM T	
710 Lakeway D Sunnyvale, CA			ART UNIT	PAPER NUMBER
• •			2189	<i>/</i> ~
			DATE MAILED: 08/05/2003	ク

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
•	09/687,699	LIN ET AL.
Office Action Summary	Examiner	Art Unit
	Kim T. Huynh	2189
The MAILING DATE of this communication	n appears on the cover sheet w	vith the correspondence address
Period for Reply	EDI V 10 057 TO EVDIDE - 1	10117110177011
A SHORTENED STATUTORY PERIOD FOR R THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 C after SIX (6) MONTHS from the mailing date of this communication - If the period for reply specified above is less than thirty (30) days, - If NO period for reply is specified above, the maximum statutory properties to reply within the set or extended period for reply will, by - Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b). Status	ON. FR 1.136(a). In no event, however, may a on. a reply within the statutory minimum of this period will apply and will expire SIX (6) MO statute, cause the application to become A	reply be timely filed irty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).
1)⊠ Responsive to communication(s) filed on	.02 June 2003	
	This action is non-final.	
3) Since this application is in condition for a		atters prosecution as to the merits is
closed in accordance with the practice up		
Disposition of Claims		
4)⊠ Claim(s) <u>1-20</u> is/are pending in the applic		
4a) Of the above claim(s) is/are with	hdrawn from consideration.	
5) Claim(s) is/are allowed.		
6)⊠ Claim(s) <u>1-20</u> is/are rejected.		
7) Claim(s) is/are objected to.		
8) Claim(s) are subject to restriction a Application Papers	ind/or election requirement.	
9) ☐ The specification is objected to by the Exa	miner.	
10)⊠ The drawing(s) filed on <u>12 October 2000</u> is	s/are: a)⊠ accepted or b)□ obj	ected to by the Examiner.
Applicant may not request that any objection	- · ·	
11) The proposed drawing correction filed on _		disapproved by the Examiner.
If approved, corrected drawings are required		
12) ☐ The oath or declaration is objected to by the	e Examiner.	
Priority under 35 U.S.C. §§ 119 and 120		
13) Acknowledgment is made of a claim for for	oreign priority under 35 U.S.C.	§ 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:		
 Certified copies of the priority docu 	ments have been received.	
2. Certified copies of the priority docu	ments have been received in	Application No
 3. Copies of the certified copies of the application from the Internations * See the attached detailed Office action for a second content of the action for a second	al Bureau (PCT Rule 17.2(a)).	
14) Acknowledgment is made of a claim for dor	mestic priority under 35 U.S.C	. § 119(e) (to a provisional application).
 a) ☐ The translation of the foreign languag 15)☐ Acknowledgment is made of a claim for do 	* * * * * * * * * * * * * * * * * * * *	
Attachment(s)	. •	
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-94 3) Information Disclosure Statement(s) (PTO-1449) Paper N	8) 5) Notice o	v Summary (PTO-413) Paper No(s) f Informal Patent Application (PTO-152)
S. Patent and Trademark Office		

Page 2

Application/Control Number: 09/687,699

Art Unit: 2189

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wakeley et al. (US Patent 6,463,498) in view of McCarty et al. (US Patent 5,954,796)
 - a. As per claim 1, Wakeley discloses a method for providing device information using a Fibre Channel network, comprising the operations of: (col.25, lines 28-38)
 - obtaining device information for a device coupled to a Fibre Channel based network; (col.4, lines 34-42),
 - constructing an address database (fig.3, 330), (col.4, lines 42-51) having a device entry for the device, wherein the device entry includes a port target identifier(fig.3, 316) and a logical unit identifier (fig.3, 318) and wherein the device entry associates the device information with the port target identifier and the logical unit identifier; (col.6, lines 61-67), (col.7, lines 1-6)
 - receiving a request for the device information, wherein the request includes the port target identifier and the logical unit identifier; (col.7, lines 6-40)

Art Unit: 2189

returning the device information associated with the port target identifier
 and the logical unit identifier. (col.7, lines 6-40)

Wakeley discloses all the limitations as above except wherein the address database facilitates translation of operating system independent commands received by a Fibre Channel wrapper module into Fibre Channel commands usable by a Fibre Channel layer module that is in communication with a Fibre Channel controller. However, McCarty discloses for communicating between FC environment and OS-compatible communication interface to facilitates dynamic address changing of the FC devices which changing is transparent to the OS-compatible upper-level software structures. (col.4, lines 7-21)

It would have been obvious to one having ordinary skills in the art at the time the invention was made to incorporate McCarty's teaching into Wakeley's method to have address translation of operation system independent commands received by a Fibre Channel wrapper module into Fibre Channel commands usable by a Fibre Channel layer so as to have the ability of hot-plug and to provide for structures that would facilitate dynamic reconfiguration of the devices disposed in an FC environment. (col.1, lines 40-64)

b. As per claim 14, Wakeley discloses a computer program that provides device information using a Fibre Channel network, comprising:

Art Unit: 2189

- a code segment (fig.9, 911,912), (col.25, lines 3-6) that obtains device information for a device coupled to a Fibre Channel based network; (col.5, lines 52-55), (col.6, lines 4-5)
- a code segment (fig.9, 911,912) that constructs an address database
 having a device entry for the device, wherein the device entry includes a
 port target identifier and a logical unit identifier, and wherein the device
 entry associates the device information with the port target identifier and
 the logical unit identifier; (col.6, lines 61-67), (col.7, lines 1-6)
- a code segment (fig.9, 911,912) that receives a request for the device information, wherein the request includes the port target identifier and the logical unit identifier; and (col.7, lines 10-40)
- a code segment(fig.9, 911,912) that returns the device information,
 wherein the request includes the port target identifier and the logical unit
 identifier; (col.7, lines 10-40)
- a code segment(fig.9, 911,912) that returns the device information
 associated with the port target identifier and the logical unit identifier.
 (col.7, lines 10-40)

Wakeley discloses all the limitations as above except wherein the address database facilitates translation of operating system independent commands received by a Fibre Channel wrapper module into Fibre Channel commands usable by a Fibre Channel layer module that is in communication with a Fibre Channel controller. However, McCarty

Art Unit: 2189

discloses for communicating between FC environment and OS-compatible communication interface to facilitates dynamic address changing of the FC devices which changing is transparent to the OS-compatible upper-level software structures. (col.4, lines 7-21)

It would have been obvious to one having ordinary skills in the art at the time the invention was made to incorporate McCarty's teaching into Wakeley's method to have address translation of operation system independent commands received by a Fibre Channel wrapper module into Fibre Channel commands usable by a Fibre Channel layer so as to have the ability of hot-plug and to provide for structures that would facilitate dynamic reconfiguration of the devices disposed in an FC environment. (col.1, lines 40-64)

- b. As per claim 2, 15, 16, Wakeley discloses the device entry further associates an Arbitrated Loop Physical Address (AL_PA) with the port target identifier and the logical unit identifier. (col.18, lines 38-67)
- c. As per claim 3, Wakeley discloses a method further comprising the operation of returning the AL_PA associated with the port target identifier (fig.3, 316) and the logical unit identifier (fig.3, 318) in response to the request. (col.18, lines 38-67)
- d. As per claims 4 and 17, Wakeley discloses the request is in the form of a SCSI based Protocol Auto Configuration (PAC) command. (col.7, lines 6-40)

Art Unit: 2189

e. As per claims 5 and 18, Wakeley discloses the request is in the form of a SCSI based Probe command. (col.7, lines 6-40)

- f. As per claims 6 and 19, Wakeley discloses method further comprising the operation of performing a lookup operation (fig.6A, 616) to obtain the device information associated with the port target identifier and the logical unit identifier utilizing the address database. (col.10, lines 21-40)
- g. As per claims 7 and 20, Wakeley discloses the device information includes a device type for the device. (col.8, lines 46-64)
- h. As per claim 8, Wakeley discloses a system for providing device information using Fibre Channel network, comprising:
 - a Fibre Channel based network; (col.2, lines 13-16)
 - a device entry further associates an Arbitrated Loop Physical Address (AL_PA) with the port target identifier and the logical unit identifier. (col.18, lines 38-67)
 - an address database(fig.3,330) having a device entry for the device, wherein the device entry includes a port target identifier(fig.3, 316) and a logical unit identifier (fig.3, 318) and wherein the device entry associates the device information with the port target identifier and the logical unit identifier; (col.6, lines 61-67), (col.7, lines 1-6)

Wakeley discloses all the limitations as above except wherein the address database facilitates translation of operating system independent

Art Unit: 2189

commands received by a Fibre Channel wrapper module into Fibre Channel commands usable by a Fibre Channel layer module that is in communication with a Fibre Channel controller. However, McCarty discloses for communicating between FC environment and OS-compatible communication interface to facilitates dynamic address changing of the FC devices which changing is transparent to the OS-compatible upper-level software structures. (col.4, lines 7-21)

It would have been obvious to one having ordinary skills in the art at the time the invention was made to incorporate McCarty's teaching into Wakeley's method to have address translation of operation system independent commands received by a Fibre Channel wrapper module into Fibre Channel commands usable by a Fibre Channel layer so as to have the ability of hot-plug and to provide for structures that would facilitate dynamic reconfiguration of the devices disposed in an FC environment. (col.1, lines 40-64)

- i. As per claim 9, Wakeley discloses the device entry further associates the
 AL_PA with the port target identifier and the logical unit identifier. (col.18, lines 38-67)
- j. As per claim 10, Wakeley discloses further comprising a Fibre Channel driver (fig.8, 804) having a Fibre Channel Common Hardware Interface (FCHIM). (fig.8, 820) (col.4, lines 42-51), (col.6, lines 41-67), (col.7, lines 1-40)

Art Unit: 2189

k. As per claim 11, Wakeley discloses a system further comprising a SCSI based application in communication with the Fibre Channel driver. (col.4, lines 42-51), (col.6, lines 41-67), (col.7, lines 1-40), (col.8, lines 25-33)

I. As per claim 12, Wakeley discloses the SCSI based application passes a request for device information to the Fibre Channel driver, the request including the port target identifier and the logical unit identifier. (col.18, 38-67) m. As per claim 13, Wakeley discloses the Fibre Channel driver returns the device information based on the port target identifier and the logical unit identifier using the address database. (col.6, lines 41-67), (col.7, lines 1-40)

Conclusion

3. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within -TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 2189

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kim Huynh whose telephone number is (703)305-5384 or via e-mail addressed to [kim.huynh3@uspto.gov]. The examiner can normally be reached on M-F 8:30AM- 6:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Rinehart can be reached on (703) 305-4815 or via e-mail addressed to [mark.rinehart@uspto.gov]. The fax phone numbers for the organization where this application or proceeding is assigned are (703)746-7249 for regular communications and (703)746-7238 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)306-5631.

Kim Huynh

July 31, 2003

MARK H. RINEHART
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100